

# SAFETY DATA SHEET

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

Silicone Remover

**Product no.**

7-501,502-xxxx

**REACH registration number**

Not applicable

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Bodywork protector treatment. Only for professional use.

**Uses advised against**

-

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

**Company and address**

August Handel GmbH  
Heinrich-Hertz-Str. 3b  
DE-14532 Kleinmachnow b. Berlin  
Germany  
Phone: +49 30 217333 00

**Contact person**

-

**E-mail**

info@augusthandel.com

**SDS date**

2017-06-08

**SDS Version**

1.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Flam. Liq. 2; H225  
Asp. Tox. 1; H304  
Skin Irrit. 2; H315  
STOT SE 3; H336  
Aquatic Chronic 2; H411  
See full text of H-phrases in section 2.2.

### 2.2. Label elements

**Hazard pictogram(s)****Signal word**

Danger

**Hazard statement(s)**

Highly flammable liquid and vapour. (H225)  
 May be fatal if swallowed and enters airways. (H304)  
 Causes skin irritation. (H315)  
 May cause drowsiness or dizziness. (H336)  
 Toxic to aquatic life with long lasting effects. (H411)

#### Safety statement(s)

**General** If medical advice is needed, have product container or label at hand. (P101).  
 Keep out of reach of children. (P102).  
**Prevention** Wear protective gloves/protective clothing. (P280).  
**Response** IF SWALLOWED: Immediately call a POISON CENTER/doctor. (P301+P310).  
 Call a POISON CENTER/doctor if you feel unwell. (P312).  
**Storage** Store locked up. (P405).  
**Disposal** Dispose of contents/container to an approved waste disposal plant. (P501).

#### Identity of the substances primarily responsible for the major health hazards

Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics

#### 2.3. Other hazards

This product contains substances that can cause chemical pneumonia if inhaled. The symptoms of chemical pneumonia may appear after several hours.

#### Additional labelling

Do not use in paint spraying equipment.

#### Additional warnings

Tactile warning. If this product is sold in retail, it must be delivered with child-resistant fastening.

#### VOC

-

### SECTION 3: Composition/information on ingredients

#### 3.1/3.2. Substances/Mixtures

NAME:	Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics
IDENTIFICATION NOS.:	CAS-no: 64742-49-0 EC-no: 265-151-9 Index-no: 649-328-00-1
CONTENT:	50-100%%
CLP CLASSIFICATION:	Fam. Liq. 2, STOT SE 3, Skin Irrit. 2, Asp. Tox. 1, Aquatic Chronic 2 H225, H304, H315, H336, H411

(\*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

Skin Cat. 2 Sum =  $\sum(C_i/S(G)CL_i) = 6 - 9$   
 N chronic (CAT 2) Sum =  $\sum(C_i/(M(\text{chronic})^i * 25) * 0.1 * 10^{\wedge}CAT_i) = 2,4 - 3,6$

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.  
 The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

##### Inhalation

Bring the person into fresh air and stay with him.

##### Skin contact

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

##### Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure to flush under the upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

##### Ingestion

Do not induce vomiting! If vomiting occurs, keep head facing down to prevent vomit entering the lungs. Call a doctor or ambulance. Symptoms of chemical pneumonia can appear after several hours. People who have swallowed the product should be kept under medical attention for a minimum of 48 hours.

#### **Burns**

Rinse with water until the pain stops then continue to rinse for a further 30 minutes.

#### **4.2. Most important symptoms and effects, both acute and delayed**

This product contains substances that can cause chemical pneumonia if inhaled. The symptoms of chemical pneumonia may appear after several hours.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

IF exposed or concerned: Get immediate medical advice/attention.

#### **Information to medics**

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

#### **5.2. Special hazards arising from the substance or mixture**

Nothing special

#### **5.3. Advice for firefighters**

No specific requirements.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid inhalation of vapours from spilled material. Avoid direct contact with spilled substances. Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation.

#### **6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment.

#### **6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

#### **6.4. Reference to other sections**

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

Avoid static electricity. Protect electrical equipment in accordance with current standards. To divert static electricity during transmission, containers must be grounded and connected by wire with the receiving containers. Do not use spark-forming tools.

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. It is recommended to install waste collection trays to prevent emissions to the waste water system and surrounding environment. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

#### **7.2. Conditions for safe storage, including any incompatibilities**

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

#### **Storage temperature**

Room temperature 18 to 23°C

#### **7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### OEL

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit.

#### DNEL / PNEC

No data available

### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

#### General recommendations

Observe general occupational hygiene standards.

#### Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

#### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

#### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure

Keep containment materials near the workplace. If possible, collect spillage during work.

### Individual protection measures, such as personal protective equipment



#### Generally

Use only CE marked protective equipment.

#### Respiratory Equipment

Recommended: Combination filter A2P3. Class 2/3. Brown/White

#### Skin protection

Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.

#### Hand protection

Recommended: Natural rubber (latex )

#### Eye protection

No specific requirements.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Colourless
Odour	Faint
Odour threshold (ppm)	No data available.
pH	No data available.
Viscosity (40°C)	0,5-1,5
Density (g/cm <sup>3</sup> )	No data available.
<b>Phase changes</b>	
Melting point (°C)	No data available.
Boiling point (°C)	90-165
Vapour pressure (25°C)	2 kPa
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.

### Data on fire and explosion hazards

Flash point (°C)	10
Ignition (°C)	No data available.
Auto flammability (°C)	200
Explosion limits (% v/v)	0,6 - 7 v/v%
Explosive properties	No data available.
<b>Solubility</b>	
Solubility in water	Insoluble
n-octanol/water coefficient	No data available.
<b>9.2. Other information</b>	
Solubility in fat (g/L)	No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

### 10.3. Possibility of hazardous reactions

Nothing special

### 10.4. Conditions to avoid

Avoid static electricity. Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Substance	Species	Test	Route of exposure	Result
Hydrocarbons, C7-C9, n-alkanes...	Rat	LD50	Oral	>5000 mg/kg
Hydrocarbons, C7-C9, n-alkanes...	Rabbit	LD50	Dermal	>2800 mg/kg
Hydrocarbons, C7-C9, n-alkanes...	Rat	LC50	Inhalation	>193 mg/m <sup>3</sup>

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

No data available.

#### Respiratory or skin sensitisation

No data available.

#### Germ cell mutagenicity

No data available.

#### Carcinogenicity

No data available.

#### Reproductive toxicity

No data available.

#### STOT-single exposure

May cause drowsiness or dizziness.

#### STOT-repeated exposure

No data available.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

**SECTION 12: Ecological information****12.1. Toxicity**

Substance	Species	Test	Duration	Result
Hydrocarbons, C7-C9, n-alkanes...	Crustacean	LC50		127 - 159 mg/l

**12.2. Persistence and degradability**

Substance	Biodegradability	Test	Result
No data available.			

**12.3. Bioaccumulative potential**

Substance	Potential bioaccumulation	LogPow	BCF
No data available.			

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

Contains epoxy compounds. See information supplied by the manufacturer.

**12.6. Other adverse effects**

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms. This product contains substances, which due to poor biodegradability, may cause adverse long-term effects to the aquatic environment,

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Product is covered by the regulations on hazardous waste.

**Waste**

EWC code

-

**Specific labelling**

-

**Contaminated packing**

Contaminated packaging must be disposed of similarly to the product.

**SECTION 14: Transport information****14.1 – 14.4**

This product is within scope of the regulations of transport of dangerous goods.

**ADR/RID**

<b>14.1. UN number</b>	3295
<b>14.2. UN proper shipping name</b>	-
<b>14.3. Transport hazard class(es)</b>	3
<b>14.4. Packing group</b>	II
<b>Notes</b>	-
<b>Tunnel restriction code</b>	-

**IMDG**

<b>UN-no.</b>	3295
<b>Proper Shipping Name</b>	HYDROCARBONS, LIQUID, N.O.S.
<b>Class</b>	3
<b>PG*</b>	II
<b>EmS</b>	-
<b>MP**</b>	-
<b>Hazardous constituent</b>	F1

**IATA/ICAO**

<b>UN-no.</b>	3295
<b>Proper Shipping Name</b>	HYDROCARBONS, LIQUID, N.O.S.
<b>Class</b>	3
<b>PG*</b>	II

**14.5. Environmental hazards**

-  
**14.6. Special precautions for user**

-  
**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

No data available

(\*) Packing group

(\*\*) Marine pollutant

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

#### Demands for specific education

-

#### Additional information

#### Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).  
EC regulation 1907/2006 (REACH).

### 15.2. Chemical safety assessment

No

## SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H225 - Highly flammable liquid and vapour.  
H304 - May be fatal if swallowed and enters airways.  
H315 - Causes skin irritation.  
H336 - May cause drowsiness or dizziness.  
H411 - Toxic to aquatic life with long lasting effects.

### The full text of identified uses as mentioned in section 1

-

### Additional label elements

-

### Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:  
The classification of the mixture in regard of physical hazards has been based on experimental data.  
The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)  
The classification of the mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)  
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.  
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.  
A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

### The safety data sheet is validated by

JW

### Date of last essential change (First cipher in SDS version)

2017-06-08

### Date of last minor change

According to EC-Regulation 2015/830

**C.A.R.FIT**

**(Last cipher in SDS version)**  
2017-06-08

---

ALPHAOMEGA. Licens nr.:3233182516, August Handel GmbH, 6.3.0.5  
[www.chymeia.com](http://www.chymeia.com)